

Safety Data Sheet

RH2W

Safety Data Sheet dated 14/7/2011, version 4

1. IDENTIFICATION OF THE PRODUCT AND OF THE COMPANY

Trade name: RH2W

Product type and use: Aqueous preparation of rhodium (III) sulfate. For electroplating industry.

Company:
LEGOR GROUP S.p.A.
Via del Lavoro, 1
36050 Bressanvido (VI)
Italy

Emergency telephone number of the company and/or of an authorised advisory centre:
LEGOR GROUP S.p.A.
tel. +39 0444 467911 fax +39 0444 660677

Centro Antiveleni
Ospedale di Niguarda "Ca Grande"
Piazza Ospedale Maggiore 3
20162 Milano
Telephone: +39 (0) 2/66 10 10 29
Telefax: +39 (0) 2/64 44 27 68
Italiano (French, English)
(24-hour-service)

2. HAZARDS IDENTIFICATION

No specific hazards are encountered under normal product use.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components within the meaning of EEC directive 67/548 and corresponding classification:
3.3 % sulphuric acid ... %
N.67/548/CEE: 016-020-00-8 CAS: 7664-93-9 EC: 231-639-5
C; R35

4. FIRST AID MEASURES

In case of skin contact:
Wash with plenty of water and soap.

In case of eyes contact:
Wash immediately with water for at least 10 minutes.

In case of Ingestion:
Induce vomiting. SEEK A MEDICAL EXAMINATION IMMEDIATELY and present the safety-data sheet.

A suspension of activated charcoal in water, or liquid paraffin may be administered.

In case of Inhalation:
Ventilate the premises. The patient is to be removed immediately from the contaminated premises and made to rest in a well ventilated area. Should the patient feel unwell, OBTAIN MEDICAL ATTENTION.

Safety Data Sheet

RH2W

5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media:
 - Water.
 - Extinguishers not to be used:
 - None in particular.
 - Risks arising from combustion:
 - Avoid inhaling the fumes.
 - Protective equipment:
 - Use protection for the respiratory tract.
-

6. ACCIDENTAL RELEASE MEASURES

- Measures for personal safety:
 - Use gloves and protective clothing.
 - Environmental measures:
 - Limit leakages with earth or sand.
 - If the product has escaped into a water course, into the drainage system, or has contaminated the ground or vegetation, notify the competent authorities.
 - Cleaning methods:
 - If the product is in a liquid form, stop it from entering the drainage system.
 - Recover the product for re-use if possible, or for elimination. The product might, where appropriate, be absorbed by inert material.
 - After the product has been recovered, rinse the area and materials involved with water.
-

7. HANDLING AND STORAGE

- Handling precautions:
 - Avoid contact and inhalation of the vapours. See, too, paragraph 8 below.
 - Do not eat or drink while working.
 - Incompatible materials:
 - None in particular.
 - Storage conditions:
 - Instructions as regards storage premises:
 - Adequately ventilated premises.
-

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

- Precautionary measures:
 - Give adequate ventilation to the premises where the product is stored and/or handled.
 - Respiratory protection:
 - Not needed for normal use.
 - Protection for hands:
 - Not needed for normal use.
 - Eye protection:
 - Not needed for normal use.
 - Protection for skin:
 - No special precaution must be adopted for normal use.
 - Exposure limit(s) (ACGIH):
 - sulphuric acid ... %
 - TLV TWA: 0,05 ppm, A2 - 0,2 mg/m³, A2 TLV STEL: A2
-

Safety Data Sheet

RH2W

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance and colour:	Pale yellow liquid
Odour:	Odourless
pH:	ca 1
Melting point:	N.A.
Boiling point:	N.A.
Flash point:	N.A.
Solid/gas flammability:	N.A.
Explosive properties:	N.A.
Oxidizing properties:	N.A.
Vapour pressure:	N.A.
Relative density:	1.03 g/ml
Solubility in water:	Total
Partition c. (n-octanol/H ₂ O):	N.A.
Vapour density:	N.A.

10. STABILITY AND REACTIVITY

Conditions to avoid:

Stable under normal conditions.

Substances to avoid:

Cyanides

Hazardous decomposition products:

It may generate flammable gases on contact with dithiocarbamates, elementary metals, and nitrides. It may generate toxic gases on contact with amides, aliphatic and aromatic amines, azo, diazo, and hydrazine compounds, carbamates, inorganic fluorides, halogenated organic substances, isocyanates, sulphides, organic nitrous compounds, organophosphat
It may catch fire on contact with alcohols and glycols, aldehydes, dithiocarbamates, esthers, ethers, aromatic and aliphatic hydrocarbons, halogenated organic substances, isocyanates, ketones, sulphides, organic nitrous compounds, phenols, and cresols.

Contact with cyanides produces cyanidric acid (prussic acid)

11. TOXICOLOGICAL INFORMATION

There is no toxicological data available on the mixture. Consider the individual concentration of each component to assess toxicological effects resulting from exposure to the mixture.

Toxicological information on main components of the mixture:

RH2W

Sulfuric acid:

Inhalation of concentrated vapours may cause damages to respiratory system;

Contact causes burns to skin and mucosa;

Contact causes severe burns to eyes.

12. ECOLOGICAL INFORMATION

Adopt good working practices, so that the product is not released into the environment.

13. DISPOSAL CONSIDERATIONS

Recover if possible. In so doing, comply with the local and national regulations currently in force.

AP032-35/4

Page n. 3 of 4

Safety Data Sheet

RH2W

14. TRANSPORT INFORMATION

Not classified as dangerous in the meaning of transport regulations.

ADR-UN number: Not dangerous

15. REGULATORY INFORMATION

Council Directive 67/548/EEC (Classification, packaging and labelling of dangerous substances) and subsequent amendments. Council Directive 1999/45/EC (Classification, packaging and labelling of dangerous preparations) and subsequent amendments. Commission Directive 98/24/EC (Protection of the health and safety of workers from the risk related to chemical agent). Commission Directive 2000/39/EC (Occupational exposure limit values). Regulation (EC) No 1907/2006 (REACH). Regulation (EC) No 1272/2008 (CLP) (Annex VI). Regulation (EC) No 790/2009 (Annex IV, Annex V).

Special Provisions:

Safety data sheet available for professional user on request.

Where applicable, refer to the following regulatory provisions :

Directive 82/501/EEC ('Activities linked to risks of serious accidents') and subsequent amendments.

Regulation (EC) nr 648/2004 (detergents).

16. OTHER INFORMATION

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre,
Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand
Reinold

ACGIH - Threshold Limit Values - 2004 edition

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.
